



Certificate of Compliance

Type Approval

Issued to: NUPI INDUSTRIE ITALIANE S.p.A., Via dell' Artigianato, 13, 40023 Castel Guelfo di Bologna, Italy.

Product range: Smartflex and Ecosmart product range.

This certificate covers only those items listed on the attached pages.

Applications: Positive pressure, vacuum suction delivery, vent lines, fill pipes, vapour recovery and secondary containment, to T1 (-40°C minimum operating temperature).

This is to certify that samples of the items listed on the attached pages have been found to comply with the requirements of the following standard for initial type testing, after testing by RINA or an approved third party laboratory:

EN 14125:2025 Thermoplastic and flexible metal pipework for underground installation at petrol filling stations

Test details are given in relevant RINA and RINA reviewed Test Certificates

NOTE 1: This certificate should only be reviewed or reproduced in full.

NOTE 2: This certificate remains the property of RINA. RINA reserves the right to withdraw or revise it following written notification to the issue. Any revision is indicated by a change in certificate number.

NOTE 3: All threaded adapters can be made of brass, nickel plated brass and stainless steel. Threaded adapters using nickel plated brass include 'NP' in the part number, while threaded adapters using stainless steel include 'SS' in the part number.

Conditions on the validity of this Certificate:

1. The marking on the pipes shall be updated to comply with EN 14125 Table 6.
2. The Manual shall be updated to state that the metallic parts may not be directly buried in the ground unless duly protected.

Certificate prepared by :

A handwritten signature in black ink, appearing to read 'Anna Longroad'.

Anna Longroad
Materials Engineering Consultant

Certificate approved by :

A handwritten signature in black ink, appearing to read 'Ben Hickman'.

Ben Hickman
Laboratory Manager

Certificate Number: 2015-0905-018

Dated: 11/05/2020

RINA Tech UK Ltd, 1 Springfield Drive, Leatherhead, Surrey, KT22 7AJ, UK

NUPI INDUSTRIE ITALIANE S.p.A.

Certificate of Compliance:2015-0905-018



Issue	Description	Prepared by	Approved by	Date
14	14 th Issue	D. Routledge	B. Hickman	29/06/2018
15	Part numbers added	A. Wooldridge	B. Hickman	24/06/2019
16	Issue table added Part numbers added Part numbers corrected	A. Wooldridge	B. Hickman	04/07/2019
17	Part number added	A. Wooldridge	B. Hickman	07/05/2020
18	Issue of EN14125:2025. Type approval tests to EN14125:2013 also fulfil requirements of new standard; parts approved under EN14125:2013 therefore granted approval to EN14125:2025.	A. Longroad	B. Hickman	18/12/2025

Type	Part No.	Size	Component	Applications
Smartflex	TSMAH32 (Z)	32 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH50 (Z)	50 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH63 (Z)	63 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH90 (Z)	90 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH110 (Z)	110 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH160 (Z)	160 mm	Pipe with Z barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH32 (H)	32 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH50 (H)	50 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH63 (H)	63 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH90 (H)	90 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH110 (H)	110 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH160 (H)	160 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH50	50 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH63	63 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH90	90 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH110	110 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	TSMAH160	160 mm	Pipe with H barrier layer	PP/VA/VE/FI/VR
Smartflex	SME32	32 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SME50	50 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SME63	63 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SMEN90	90 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SMEN110	110 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SMEN160	160 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Smartflex	SCE50	50 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SCE63	63 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SCE90	90 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SCE110	110 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SCE160	160 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE32	32 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE50	50 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE63	63 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE90	90 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE110	110 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	SGE160	160 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Smartflex	STE32	32 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STE50	50 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STE63	63 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STE90	90 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STE110	110 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STE160	160 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Smartflex	STELV50	50 mm	Electrofusion equal tee (green)	PP/VA/VE/FI/VR
Smartflex	STELV63	63 mm	Electrofusion equal tee (green)	PP/VA/VE/FI/VR
Smartflex	STELV110	110 mm	Electrofusion equal tee (green)	PP/VA/VE/FI/VR
Smartflex	SR6350	63/50 mm	Reducer	PP/VA/VE/FI/VR
Smartflex	SR9050	90/50 mm	Reducer	PP/VA/VE/FI/VR
Smartflex	SR9063	90/63 mm	Reducer	PP/VA/VE/FI/VR
Smartflex	SR11063	110/63 mm	Reducer	PP/VA/VE/FI/VR
Smartflex	SR11090	110/90 mm	Reducer	PP/VA/VE/FI/VR
Smartflex	SRDWE160125	160/125 mm	Electrofusion reducer	CS2
Smartflex	SALM50112	50 mm x 1½"	Spigot male adaptor	PP/VA/VE/FI/VR
Smartflex	SALM632	63 mm x 2"	Spigot male adaptor	PP/VA/VE/FI/VR
Smartflex	SRCPG50112	50 mm x 1½"	Union	PP/VA/VE/FI/VR
Smartflex	SRCPG632	63 mm x 2"	Union	PP/VA/VE/FI/VR
Smartflex	SRCPG903	90 mm x 3"	Union	PP/VA/VE/FI/VR
Smartflex	SFLAK50	50 mm	Steel flange (UNI-DIN flange)	PP/VA/VE/FI/VR

Type	Part No.	Size	Component	Applications
Smartflex	SFLAK63	63 mm	Steel flange (UNI-DIN flange)	PP/VA/VE/FI/VR
Smartflex	SFLAK90	90 mm	Steel flange (UNI-DIN flange)	PP/VA/VE/FI/VR
Smartflex	SFLAK110	110 mm	Steel flange (UNI-DIN flange)	PP/VA/VE/FI/VR
Smartflex	SFLAK160	160 mm	Steel flange (UNI-DIN flange)	PP/VA/VE/FI/VR
Smartflex	SFLAKA50	50 mm	Steel flange (ANSI 150 flange)	PP/VA/VE/FI/VR
Smartflex	SFLAKA63	63 mm	Steel flange (ANSI 150 flange)	PP/VA/VE/FI/VR
Smartflex	SFLAKA90	90 mm	Steel flange (ANSI 150 flange)	PP/VA/VE/FI/VR
Smartflex	SFLAKA110	110 mm	Steel flange (ANSI 150 flange)	PP/VA/VE/FI/VR
Smartflex	SFLAKA160	160 mm	Steel flange (ANSI 150 flange)	PP/VA/VE/FI/VR
Smartflex	STPCL50	50 mm	End cap	PP/VA/VE/FI/VR
Smartflex	STPCL63	63 mm	End cap	PP/VA/VE/FI/VR
Smartflex	STPCL75	75 mm	End cap	PP/VA/VE/FI/VR
Smartflex	STPCL90	90 mm	End cap	PP/VA/VE/FI/VR
Smartflex	STPCL110	110 mm	End cap	PP/VA/VE/FI/VR
Smartflex	STPCL125	125 mm	End cap	PP/VA/VE/FI/VR
Smartflex	SAM321	32 mm x 1"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM50112	50 mm x 1½"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM502	50 mm x 2"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM63112	63 mm x 1½"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM632	63 mm x 2"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM903	90 mm x 3"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAM1104	110 mm X 4"	Adapter male	PP/VA/VE/FI/VR
Smartflex	SAF321	32 mm x 1"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF50112	50 mm x 1½"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF502	50 mm x 2"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF63112	63 mm x 1½"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF632	63 mm x 2"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF903	90 mm x 3"	Adapter female	PP/VA/VE/FI/VR
Smartflex	SAF1104	110 mm X 4"	Adapter female	PP/VA/VE/FI/VR
Smartflex	T SMAHD50	50 mm	Double wall pipe	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD63	63 mm	Double wall pipe	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD90	90 mm	Double wall pipe	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD110	110 mm	Double wall pipe	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD160	160 mm	Double wall pipe	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAU50	50 mm	Pipes with 'Y' barrier layer	VE/VR/FI
Smartflex	T SMAU63	63 mm	Pipes with 'Y' barrier layer	VE/VR/FI
Smartflex	T SMAU90	90 mm	Pipes with 'Y' barrier layer	VE/VR/FI
Smartflex	T SMAU110	110 mm	Pipes with 'Y' barrier layer	VE/VR/FI
Smartflex	T SMAUS63	63 mm	Secondary containment pipe	CS2
Smartflex	T SMAUS75	75 mm	Secondary containment pipe	CS2
Smartflex	T SMAUS125	125 mm	Secondary containment pipe	CS2
Smartflex	T SMAHS40	40 mm	Secondary containment pipe	CS2
Smartflex	T SMAHS63	63 mm	Secondary containment pipe	CS2
Smartflex	T SMAHS75	75 mm	Secondary containment pipe	CS2
Smartflex	T SMAHS125	125 mm	Secondary containment pipe	CS2
Smartflex	T SMAHS225	225 mm	Secondary containment pipe	CS2
Smartflex	T SMAUD50	50 mm	Double wall pipe with Y barrier layer	VE/VR/FI/CS2
Smartflex	T SMAUD63	63 mm	Double wall pipe with Y barrier layer	VE/VR/FI/CS2
Smartflex	T SMAUD90	90 mm	Double wall pipe with Y barrier layer	VE/VR/FI/CS2
Smartflex	T SMAUD110	110 mm	Double wall pipe with Y barrier layer	VE/VR/FI/CS2
Smartflex	T SMAHD32 (H)	32 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD50 (H)	50 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD63 (H)	63 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD90 (H)	90 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	T SMAHD110 (H)	110 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2

Type	Part No.	Size	Component	Applications
Smartflex	TMAHD160 (H)	160 mm	Double wall pipe with H barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	TMAHD50 (Z)	50 mm	Double wall pipe with Z barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	TMAHD63 (Z)	63 mm	Double wall pipe with Z barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	TMAHD90 (Z)	90 mm	Double wall pipe with Z barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	TMAHD110 (Z)	110 mm	Double wall pipe with Z barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	TMAHD160 (Z)	160 mm	Double wall pipe with Z barrier layer	PP/VA/VE/FI/VR/CS2
Smartflex	SMEDW32	32 mm	Electrofusion coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDW50	50 mm	Electrofusion coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDWC50	50 mm	Electrofusion coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDWC63	63 mm	Electrofusion coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	STEDW50	50 mm	Electrofusion double wall 90° Tee	PP/VA/VE/VR/FI/CP2
Smartflex	SGEDW32	32 mm	Electrofusion coaxial 90° elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SGEDW50	50 mm	Electrofusion coaxial 90° elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDW63	63 mm	Electrofusion coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	STEDW63	63 mm	Electrofusion double wall 90° Tee	PP/VA/VE/VR/FI/CP2
Smartflex	SGEDW63	63 mm	Electrofusion coaxial 90° elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDW90	90 mm	Electrofusion double wall coaxial straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	STEDW90	90 mm	Electrofusion double wall 90° Tee	PP/VA/VE/VR/FI/CP2
Smartflex	SGEDW90	90 mm	Electrofusion double wall 90° coaxial elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SETFV63	63 mm	Electrofusion double wall termination	PP/VA/VE/VR/FI/CS2
Smartflex	SMEDW110	110 mm	Electrofusion double wall straight connector	PP/VA/VE/VR/FI/CP2
Smartflex	SGEDW110	110 mm	Electrofusion double wall 90° elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SCEDW110	110 mm	Electrofusion double wall 45° elbow	PP/VA/VE/VR/FI/CP2
Smartflex	SMEDWR110125	110 mm	Electrofusion double wall straight connector	PP/VA/VE/VR/FI/CS2
Smartflex	STEDWR110125	110 mm	Electrofusion double wall 90° Tee	PP/VA/VE/VR/FI/CS2
Smartflex	SGEDWR110125	110 mm	Electrofusion double wall 90° elbow	PP/VA/VE/VR/FI/CS2
Smartflex	SGEDWR160225	160 mm	Electrofusion double wall 90° elbow	PP/VA/VE/VR/FI/CS2
Smartflex	SCEDWR110125	110 mm	Electrofusion double wall 45° elbow	PP/VA/VE/VR/FI/CS2
Smartflex	SCEDWR160225	160 mm	Electrofusion double wall 45° elbow	PP/VA/VE/VR/FI/CS2
Smartflex	SETFV110125	110 mm	Electrofusion double wall terminating fitting	PP/VA/VE/VR/FI/CS2
Smartflex	SMEDWR160225	160 mm	Electrofusion double wall straight connector	PP/VA/VE/VR/FI/CS2
Smartflex	SETFVR160225TP	160 mm	Electrofusion double wall terminating fitting with test port	PP/VA/VE/VR/FI/CS2
Smartflex	SADWM50112	50 mm x 1½"	Double Wall Riser	PP/VA/VE/VR/FI/CS2
Smartflex	SADWM632	63 mm x 2	Double Wall Riser	PP/VA/VE/VR/FI/CS2
Smartflex	SAWFD50112	50 mm x 1½"	Electrofusion double wall female terminating fitting	PP/VA/VE/VR/FI/CS2
Smartflex	SAWFD632	63 mm x 2	Electrofusion double wall female terminating fitting	PP/VA/VE/VR/FI/CS2
Smartflex	SAWFD1104	110 mm	Electrofusion double wall female terminating fitting	PP/VA/VE/VR/FI/CS2
Smartflex	SETF50	50 mm	Electrofusion double wall terminating fitting	PP/VA/FI/VE/VR/CS2
Smartflex	SETF63	63 mm	Electrofusion double wall terminating fitting	PP/VA/FI/VE/VR/CS2
Smartflex	SETF90	90 mm	Electrofusion double wall terminating fitting	PP/VA/FI/VE/VR/CS2
Smartflex	SETFC32	32 mm	Electrofusion double wall terminating fitting (compact)	PP/VA/FI/VE/VR/CS2
Smartflex	SETFC50	50 mm	Electrofusion double wall terminating fitting (compact)	PP/VA/FI/VE/VR/CS2
Smartflex	SETFC63	63 mm	Electrofusion double wall terminating fitting (compact)	PP/VA/FI/VE/VR/CS2
Smartflex	SETFC110	110 mm	Electrofusion double wall terminating fitting (compact)	PP/VA/FI/VE/VR/CS2
Smartflex	SETFCV32	32 mm	Electrofusion double wall terminating fitting (compact) with test port	PP/VA/FI/VE/VR/CS2
Smartflex	SETFCV50	50 mm	Electrofusion double wall terminating fitting (compact) with test port	PP/VA/FI/VE/VR/CS2
Smartflex	SETFCV63	63 mm	Electrofusion double wall terminating fitting (compact) with test port	PP/VA/FI/VE/VR/CS2
Smartflex	SETFCV110	110 mm	Electrofusion double wall terminating fitting (compact) with test port	PP/VA/FI/VE/VR/CS2

Type	Part No.	Size	Component	Applications
Smartflex	SETFV50	50 mm	Electrofusion double wall terminating fitting with test port	PP/VA/VE/VR/FI/CS2
Smartflex	SETFV90	90 mm	Electrofusion double wall terminating fitting with test port	PP/VA/VE/VR/FI/CS2
Ecosmart	SMEL50	50 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Ecosmart	SMEL63	63 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Ecosmart	SMEL90	90 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Ecosmart	SMEL110	110 mm	Electrofusion coupler	PP/VA/VE/FI/VR
Ecosmart	SCEL50	50 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SCEL63	63 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SCEL90	90 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SCEL110	110 mm	45° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SGEL50	50 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SGEL63	63 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SGEL90	90 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	SGEL110	110 mm	90° electrofusion elbow	PP/VA/VE/FI/VR
Ecosmart	STEL50	50 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Ecosmart	STEL63	63 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Ecosmart	STEL90	90 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Ecosmart	STEL110	110 mm	Electrofusion equal tee	PP/VA/VE/FI/VR
Ecosmart	SAML321	32 mm x 1"	Adapter male	PP/VA/VE/FI/VR
Ecosmart	SAML50112	50 mm x 1½"	Spigot male adapter	PP/VA/VE/FI/VR
Ecosmart	SAML632	63 mm x 2"	Spigot male adapter	PP/VA/VE/FI/VR
Ecosmart	SAML903	90 mm x 3"	Spigot male adapter	PP/VA/VE/FI/VR
Ecosmart	SAML1104	110 mm x 4"	Spigot male adapter	PP/VA/VE/FI/VR
Ecosmart	SAFL321	32 mm x 1"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL50112	50 mm x 1½"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL502	50 mm x 2"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL63112	63 mm x 1½"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL632	63 mm x 2"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL903	90 mm x 3"	Adapter female	PP/VA/VE/FI/VR
Ecosmart	SAFL1104	110 mm X 4"	Adapter female	PP/VA/VE/FI/VR